
Mosquito bite avoidance advice for travellers.



A practical guide

Important to read please

- This booklet has been designed by
 Jane Chiodini as a teaching aid. Use it with
 your traveller to enable a discussion about
 different aspects of insect bite avoidance and/or
 for them to read after a consultation
- The basis of the information is taken from the current UK Health Security Agency publication: Guidelines for malaria prevention in travellers from the UK see www.gov.uk/government/publications/ma laria-prevention-guidelines-for-travellersfrom-the-uk
- For more details about the author go to www.janechiodini.co.uk/about/
- Not for commercial use. Please read the copyright and disclaimer information on the last page of this tool.






Why is it important to prevent insects biting particularly in a tropical country?

To prevent disease

To avoid discomfort and complications from bites

This information booklet has a particular slant on bite avoidance as part of malaria prevention advice, but the general information principles are relevant for ALL mosquito borne diseases.

Insect borne diseases – a potential risk to travellers abroad



These are just some of the diseases – but **none** are present in the United Kingdom



Day and Night Time Biters



Check out which times of the day are a risk for the different diseases below

Predominantly dusk to dawn*	Insect
Malaria	Anopheles spp.
Japanese Encephalitis	Culex spp.
West Nile Virus	Culex spp.

Daytime**	Insect
Yellow fever	Aedes spp.
Dengue	Aedes spp.
Zika virus	Aedes spp.
Chikungunya	Aedes spp.

^{*} Whilst the main biting times are dusk until dawn, the risk can occur out of these time frames

 $[\]fill **$ Bite precautions should be maintained during daylight hours both indoors and outdoors

Principles of bite prevention



The Myths!

There is no scientific evidence that any of these products work







Bath oils and emollients





Garlic or garlic capsules

Other items

- Tea tree oil
- frequency sound waves) are completely ineffective as mosquito repellents. Companies selling them have been prosecuted and fined under the UK Trades Descriptions Act

Mobile phone apps



The use of apps available on mobile phones to prevent mosquitoes biting is strongly discouraged.

Bite prevention and alcohol

Alcoholic drinks DO NOT protect against mosquito bites.



- Indeed beer consumption is reported to increase human attractiveness to malaria mosquitoes
- Gin and tonic has no mosquito repellent properties and the amount of quinine in tonic water has no effect on malaria parasites



Insect repellents

These are the products recommended within the Public Health England 'Guidelines for malaria prevention in travellers from the UK' for anyone over the age of 2 months, including pregnant and breast feeding women. They recommend 50% DEET-based insect repellents as a first choice.

DEET

The guidance goes on to state, "if DEET is not tolerated (or is not available), an alternative preparation should be used.

Alternatives suggested are:

- p-methane 3,8 diol (lemon eucalyptus)
- Icaridin
- 3-ethlyaminopropionate (IR3535)

Consult the instructions for use for individual products. Re-application should be made when necessary, to ensure that mosquitoes are not biting, bearing in mind safe limits for the product concerned. If a product in the UK does not have one of the four active ingredients above, it should not be used. They have excellent mosquito repellent properties, though DEET is supported by the strongest evidence base and its extensive use worldwide over the last 50 years



Examples of products up to 50% content DEET

(tropical range)

Name of 50% content DEET product
Many of them will be available in sprays, creams and roll-ons

- Boots REPEL and Boots REPEL once
- Care Plus
- Jungle Formula extra strength range
- Lifesystem EXPEDITION range
- PYRAMID TREK Ultra

Please note: the above is not an exhaustive list, other products will be available. These products are NOT being recommended, but are given as examples

Length of protection of DEET



IMPORTANT:

- There is no further increase in duration of protections beyond a concentration of 50% DEET
- The interval between applications depends on this as well as the DEET formulation and concentration used
- Sweat off time varies with activity
- Remember, in a hot and humid climate, you may sweat off the repellent more quickly so make sure you reapply more often to compensate for this

Use of DEET in pregnancy, breast feeding, children and babies



- Given the seriousness of malaria in pregnancy, DEET is recommended at a concentration of 50% as part of the malaria prevention regimen for pregnant women, including those in the first trimester
- DEET may be used at a concentration of up to 50% in breast feeding, and for infants and children over 2 months
- DEET is not recommended for infants below the age of 2 months



New advice for 2022 regarding conflicting advice between products and guidelines

In some circumstances, the UK Malaria Guidance advice may differ from that in repellent manufacturers' product information. When this occurs, the recommendations in the guidelines (which are based on current expert advice) should be followed.

- DEET is not recommended for infants below the age of 2 months
- If a particular DEET manufacturer's product information recommends a higher age cut off for use in children, the UK Malaria Guidance should be followed



Avoid getting DEET



- Near mucous membranes (for example, in your mouth)
- On any open wound (for example, on broken skin)
- For breast feeding mothers, wash the feeding area of your skin before latching your baby on



Copyright Travel Health Training Ltd. © 2023. Not for commercial use. .

DEET is a plasticizer

- This means it can damage plastic objects by making them sticky and dissolving them slowly, such as plastic glasses frames, plastic jewellery, nail varnish
- DEET can also slowly rot materials such as leather watch straps



Practical tips

- Put the DEET product on your finger tips to then carefully apply onto your lower face, avoiding the eye area. Do not apply on your forehead in case sweat drips into your eyes
- Always wash the palms of your hands after applying DEET, or if not possible, spread the product onto your skin by applying it with the back of your hand
- Wash area(s) of skin where DEET was applied to remove any residual before retiring to bed



Practical tips

- A roll-on containing DEET makes it easier to top up protection when outdoors without getting it on your hands
- Wrap your DEET products in something like a towel when travelling to protect other items from accidental spillage in your baggage
- Remember the product may well have an expiry date





Copyright Travel Health Training Ltd. © 2023. Not for commercial us

General rules with insect repellent and application of sun protection




Use a 30 to 50 SPF factor cream

as DEET can reduce the effectiveness of sun protection.

Sunscreen is not required from dusk to dawn.

Copyright Travel Health Training Ltd. © 2023. Not for commercial use.

General rules with insect repellent and swimming



Always reapply suncream if required and then repellent after swimming

Alternative repellents

"if DEET is not tolerated (or is not available), an alternative preparation should be used."

Name of product	National guidance advice	Examples of products*
P-menthane 3,8 diol (Lemon eucalyptus)	Provides protection for several hours	MMosi-guard Natural Care PLUS
Icaridin (picaridin)	Use of at least 20% preparations	Autan tropical Moskito guard
3-ethlyaminopropionate (IR3535)	Has a shorter duration of protection than DEET, but is still an effective repellent.	Gurkha Protec IR3535® Jungle Formula (outdoor and camping)

- Please note the above is not an exhaustive list, other products will be available.
- These products are NOT being recommended, but are given as examples
- Please always check the minimum age of use as these vary within the products.

The guidelines note that while oil of citronella-based products do have repellent properties, they provide short-lived protection and are not recommended. Citronella has been withdrawn in Europe

^{*} Please note, the information about examples of products is added in this column to be helpful, but is not in the UK Malaria Guidelines

Where can you obtain them?

- Chemist shops
- Outdoor adventure shops
- Online for a selection of resources, see the inside back cover of this booklet



Webpage of traveller advice resources

www.janechiodini.co.uk/help/tar/

Clothing

Cover up with loose-fitting clothing, long sleeves, long trousers and socks if out of doors after sunset to minimise accessibility to skin for biting mosquitoes.

There is no evidence that the colour of clothing is relevant to mosquitoes.

- Clothing can be sprayed or impregnated with an insecticide e.g. permethrin or purchased pre-treated to reduce biting through clothing. This can provide a high level of bite prevention and is recommended.
- DEET can be useful as a repellent on cotton clothing only, but its duration of protection is shortened by its volatility.
- DEET preparations for use only on clothing are commercially available.



Chiodini PL, Patel D, Goodyer L and Ranson H. Guidelines for malaria prevention in travellers from the United Kingdom, 2022. London: UK Health Security Agency; January 2023

Convright Traval Health Training 1td © 2023 Not for commercial use

Air conditioning is the best option and will deter mosquitoes as they will not like a cold room. However, be cautious because some countries have frequent power cuts



A room fan causes air disturbance but doesn't actually deter the mosquitoes



Room protection



If the room is protected with a fine mesh netting screen, close this screen on any doors and windows early evening to stop mosquitoes entering the bedroom


If a room is not air conditioned or screened you need to use a mosquito net. If the room is only screened in a high risk malarious destination, a mosquito net should be considered.

Vapourisers, coils and knockdown sprays



These sprays contain permethrin or other synthetic pyrethroids and are easily purchased in supermarkets





If there is power in the room, use a proprietary vapouriser as illustrated above. Either of these will emit a vapour that will kill insects. The one on the right uses tablets called 'mosquito mats'. The reservoir of fluid on the left will last for longer and contains an insecticide.



Left is a mosquito coil, these should only really be used outdoors. Burning of the coil emits an insecticide which repels or kills the mosquitoes. Where there is no power however, locals sometimes use them indoors, but this is not recommended.

Mosquito net styles



Mosquito nets come in all shapes and sizes, the key aspect is to use one that is IMPREGNATED which improves protection, because they help to prevent biting through the net on parts of the body touching the net, and prevent mosquitoes surviving long enough near to a net to find any tears in the net which may exist.





Most of the nets used are now available are long-lasting impregnated nets (LLINs). In these products the pyrethroid is incorporated into the material of the net itself or bound to it with a resin. They have an expected useful life of at least 3 years.



Standard impregnated nets would need to be re treated every 6-12 months. Follow the product instructions.

The type of room and ease of hanging a net needs to be taken into account.





Repacking a net back into a bag can sometimes be a challenge!

Accessories and tips

The net should be free of tears, tucked under the mattress and taut, not drooping. Correctly used nets will prevent insects and other creatures entering the sleeping area.



Check the net has no holes, but carry a small sewing kit just incase a tear occurs so it can be repaired immediately

Hanging kits can be purchased to aid hanging up the net



If staying in a venue that supplies the net, such as a safari lodge, it would be a good idea to check about their standards in advance.

As a precaution, if travelling to a high risk malarious area and the traveller is pregnant or is a young child, it would seem sensible to travel with an impregnated mosquito net, so all eventualities are covered.



Copyright Travel Health Training Ltd. © 2023. Not for commercial use. .

Managing reactions to bites

The NHS website has good information about managing reactions to bites at

www.nhs.uk/Conditions/Bites-insect/Pages/Treatment.aspx

This includes advice on

Cleansing

Cold compress

Analgaesia



The bite sites may be itchy, but should not be scratched and the website recommends asking your pharmacist about over-the-counter treatments, including crotamiton cream or lotion, hydrocortisone cream or ointment and antihistamine tablets to help, but to seek medical advice if symptoms worsen, for example the area becomes infected.

For further information

- Look at the latest <u>UK malaria guidelines document</u>
- Look at the NHS website for insect bite management
- More information from NaTHNaC
- More information from <u>fitfortravel and further details</u>
- A copy of this <u>booklet on</u> the website in the Traveller Advice Resources page
- Providers of bite prevention equipment and products available within my general advice leaflet - page 5 item no. 7

This booklet is accessed via my website, but for ease the disclaimer and copyright are repeated below

Disclaimer information from www.janechiodini.co.uk

Travel Health Training Ltd. has taken every care to ensure the information contained within booklet is accurate, complete and kept up to date at the time of publication. As medical knowledge and guidance constantly change, Travel Health Training Ltd. cannot guarantee that all of the information is accurate and consistent with Current National guidance.

If using these materials, it is your responsibility to use them in conjunction with up to date reference sources.

Copyright information from www.janechiodini.co.uk

The content of this web site constitutes a database which has been created by Travel Health Training Limited. The written consent of a director of Travel Health Training Limited is required to extract or re-utilise all or a substantial part of the database. Registered Nurses, Medical practitioners or employees of such practitioners do not require such written consent provided that any such extraction or re-utilisation is limited to non commercial activities.